Certificate of Analysis



Customer Information

Client: Happy Hippo LLC

Attention:

Address: 2145 E Pine Ave Meridian, ID 83642

Testing Facility

Lab: Cora Science, LLC

Address 8000 Anderson Square, STE 113

Austin, Texas 78757

Contact:



Sample Image(s)



Sample Information

Name: SUNSHINE HIPPO (339) YMD-1-8

Lot Number: -0125

Description: Finely ground plant material

Condition: Good

Job ID: ISO03414

Sample ID: I08732

Received: 24FEB2025

Completed: 02MAR2025

Issued: 03MAR2025

Test Results

Mitragyna Alkaloids (UHPLC-DAD)		Method Code: T102		Tested: 02MAR2025 0056	
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.348	w/w%	0.011	N/A
7-Hydroxymitragynine	Report Results	0.005	w/w%	0.003	N/A
Paynantheine	Report Results	0.248	w/w%	0.011	N/A
Speciogynine	Report Results	0.190	w/w%	0.011	N/A
Speciociliatine	Report Results	0.342	w/w%	0.011	N/A
Total Mitragyna Alkaloids	Report Results	2.13	w/w%	0.011	N/A

Elemental Impurities (ICP-MS) Method Code: T301 Tested: 26FEB2025 | 1258

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.217	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.019	ug/g	0.002	PASS
Mercury	NMT 0.20	0.022	ug/g	0.002	PASS
Lead	NMT 5.00	0.440	ug/g	0.002	PASS

Microbiological Examination Method Code: T005 Tested: 26FEB2025 | 1520

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU / g	2,047	CFU/g	20 CFU / g	PASS
Total Yeast and Mold	100,000 CFU / g	60	CFU/g	20 CFU / g	PASS
Total Coliforms	10,000 CFU / g	Not Detected	CFU/g	20 CFU / g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU / 10 g	PASS
Salmonella	Not Detected in 25 g	Not Detected	N/A	1 CFU / 25 g	PASS

Additional Report Notes

N/A

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, N/A: not applicable, LOQ: limit of quantitation, CFU: colony forming units, w/w%: weight by weight percent, mg: milligrams, g: grams, ug: micrograms, mL: milliliters, ND: not detected, <LOQ: below limit of quantitation, NMT: no more than, NLT: no less than, UHPLC: ultra-high performance liquid chromatography, GC: gas chromatography, DAD: diode array detection/detector, MS: mass spectroscopy/spectrometer, ICP: inductively coupled plasma, ISO: International Organization for Standardization, USP: United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature: Position: Laboratory Director

Name: Tyler West Department: Management 03MAR2025